

Owen's T/Q

????????????????

1. ??????????

bioequivalence, BE
Owen's T/Q
power

bioequivalence, BE

- generic drug reference
AUC C_{max} \$0.80-\$1.25
- TOST

Owen's T Q
Owen's T

Owen's T Owen's Q

- Owen's T Owen 1956
- Owen's Q Owen 1965
TOST \$-1\$ t
Owen A Special Case of a Bivariate Non-Central t-Distribution

TOST

$$1 - \beta = F_{\nu}(-t_{1-\alpha, \nu}; \delta_2) - F_{\nu}(t_{1-\alpha, \nu}; \delta_1) - \big[Q\text{-value}\big]$$

Owen's Q
\$R>0\$

2. ????

2.1 ??? t ??

11/11/2019 t 11/11/2019 "11/11/2019 "11/11/2019 11/11/2019 t 11/11/2019
 11/11/2019 11/11/2019 $\delta \neq 0$
 11/11/2019

11/11/2019 $Z \sim N(0,1)$ 11/11/2019 $V \sim \chi^2_{\nu}$ 11/11/2019

$T = \frac{Z + \delta}{\sqrt{V/\nu}}$; $t_{\nu}(\delta)$, T

$\delta \in \mathbb{R}$ 11/11/2019 **noncentrality parameter, NCP** 11/11/2019 ν 11/11/2019
 $\delta = 0$ 11/11/2019 t 11/11/2019

CDF 11/11/2019 11/11/2019 Owen's Q 11/11/2019 $W = \sqrt{V/\nu}$ 11/11/2019

$F_{\nu}(t; \delta) = \Pr(T \leq t) = \int_0^{\infty} \Phi(tw - \delta) f_W(w) dw, \quad f_W(w) = \frac{2(\nu/2)^{\nu/2}}{\Gamma(\nu/2)} w^{\nu-1} e^{-\nu w^2/2}, \quad w > 0.$

11/11/2019 $W = w$ 11/11/2019 $T = t$ 11/11/2019 $N(\delta/w, 1/w^2)$ 11/11/2019 $\Pr(T \leq t | w) = \Phi(tw - \delta)$ 11/11/2019 w 11/11/2019

11/11/2019 $\nu > 1$ 11/11/2019 $\nu > 2$ 11/11/2019

$E[T] = \delta \sqrt{\frac{\nu}{2}} \frac{\Gamma(\frac{\nu-1}{2})}{\Gamma(\frac{\nu}{2})}, \quad \text{Var}(T) = \frac{\nu}{2} (1 + \delta^2) - (E[T])^2.$

11/11/2019 $E[T] \approx \delta$ 11/11/2019 ν 11/11/2019 NCP δ 11/11/2019 "11/11/2019

2.2 Owen's T ??????????

11/11/2019 "11/11/2019 X, Y 11/11/2019 "11/11/2019 Owen's T 11/11/2019 "11/11/2019 "11/11/2019

11/11/2019 Owen 1956

$$T(h,a) = \frac{1}{2\pi} \int_0^a \frac{\exp\left[-\frac{h^2}{2}(1+x^2)\right]}{1+x^2} dx,$$

$$\lim_{h \rightarrow \infty} T(h,a) = \lim_{a \rightarrow \infty} T(h,a) = 0.$$

$$T(h,0) = 0, \quad T(0,a) = \frac{1}{2\pi} \arctan a, \quad T(-h,a) = T(h,a), \quad T(h,-a) = -T(h,a), \quad T(h,\infty) = \frac{1}{2} \Phi(-|h|).$$

$$\Pr(X \leq h, Y \leq k) = \Phi(h) \Phi(k) + \frac{1}{2\pi} \int_0^{\rho} \frac{1}{\sqrt{1-r^2}} \exp\left[-\frac{h^2-2rhk+k^2}{2(1-r^2)}\right] dr,$$

$$\Pr(X \leq h, Y \leq k) = \Phi(h) \Phi(k) + \frac{1}{2\pi} \int_0^{\rho} \frac{1}{\sqrt{1-r^2}} \exp\left[-\frac{h^2-2rhk+k^2}{2(1-r^2)}\right] dr,$$

$$\Pr(X \leq h, Y \leq k) = \Phi(h) \Phi(k) + \frac{1}{2\pi} \int_0^{\rho} \frac{1}{\sqrt{1-r^2}} \exp\left[-\frac{h^2-2rhk+k^2}{2(1-r^2)}\right] dr,$$

$$\Pr(X \leq h, Y \leq k) = \Phi(h) \Phi(k) + \frac{1}{2\pi} \int_0^{\rho} \frac{1}{\sqrt{1-r^2}} \exp\left[-\frac{h^2-2rhk+k^2}{2(1-r^2)}\right] dr,$$

$$\Pr(X \leq h, Y \leq k) = \Phi(h) \Phi(k) + \frac{1}{2\pi} \int_0^{\rho} \frac{1}{\sqrt{1-r^2}} \exp\left[-\frac{h^2-2rhk+k^2}{2(1-r^2)}\right] dr,$$

$$\Pr(X \leq h, Y \leq k) = \Phi(h) \Phi(k) + \frac{1}{2\pi} \int_0^{\rho} \frac{1}{\sqrt{1-r^2}} \exp\left[-\frac{h^2-2rhk+k^2}{2(1-r^2)}\right] dr,$$

2.3 Owen's Q

$$Q_{\nu}(t; \delta; 0, R) = \frac{1}{\sqrt{2\pi}} \int_0^R \frac{1}{\sqrt{1-r^2}} \exp\left[-\frac{t^2-2\delta t r}{2(1-r^2)}\right] dr,$$

$$Q_{\nu}(t; \delta; 0, R) = \frac{1}{\sqrt{2\pi}} \int_0^R \frac{1}{\sqrt{1-r^2}} \exp\left[-\frac{t^2-2\delta t r}{2(1-r^2)}\right] dr,$$

$$Q_{\nu}(t; \delta; 0, R) = \frac{1}{\sqrt{2\pi}} \int_0^R \frac{1}{\sqrt{1-r^2}} \exp\left[-\frac{t^2-2\delta t r}{2(1-r^2)}\right] dr,$$

$$Q_{\nu}(t; \delta; 0, R) = \frac{1}{\sqrt{2\pi}} \int_0^R \frac{1}{\sqrt{1-r^2}} \exp\left[-\frac{t^2-2\delta t r}{2(1-r^2)}\right] dr,$$

$$Q_{\nu}(t; \delta; 0, R) = \frac{1}{\sqrt{2\pi}} \int_0^R \frac{1}{\sqrt{1-r^2}} \exp\left[-\frac{t^2-2\delta t r}{2(1-r^2)}\right] dr,$$

$$Q_{\nu}(t; \delta; 0, R) = \frac{1}{\sqrt{2\pi}} \int_0^R \frac{1}{\sqrt{1-r^2}} \exp\left[-\frac{t^2-2\delta t r}{2(1-r^2)}\right] dr,$$

$$Q_{\nu}(t; \delta; 0, R) = \frac{1}{\sqrt{2\pi}} \int_0^R \frac{1}{\sqrt{1-r^2}} \exp\left[-\frac{t^2-2\delta t r}{2(1-r^2)}\right] dr,$$

2.4

$$Q_{\nu}(t; \delta; 0, R) = \frac{1}{\sqrt{2\pi}} \int_0^R \frac{1}{\sqrt{1-r^2}} \exp\left[-\frac{t^2-2\delta t r}{2(1-r^2)}\right] dr,$$

$$\mu = \ln\left(\frac{\text{test}}{\text{reference}}\right) = \ln(\text{ratio}),$$

$$\log \left[\frac{\ln 0.80}{\ln 1.25} \right] = [-0.2231, 0.2231]$$

TOST, Schuirmann 1987

$$\mu_{01} \leq \theta_1 \quad \text{vs.} \quad \mu_{11} > \theta_1, \quad \mu_{02} \leq \theta_2 \quad \text{vs.} \quad \mu_{12} < \theta_2.$$

α Westlake / Schuirmann

$$(1-2\alpha) \times 100\% \subseteq [\theta_1, \theta_2] \text{ iff } \dots$$

“

BE

90%

$\alpha=0.05$

TOST

95%

TOST α

2.5 BE ??????????

μ (θ_1, θ_2) TOST

$$1-\beta = \Pr\big(T_1 > t_{1-\alpha, n} \mid T_2 < -t_{1-\alpha, n}\big).$$

$$2 \times \left[\Phi\left(\frac{\sqrt{N}(\theta - \mu)}{\sigma_w \sqrt{2}}\right) - t_{1-\alpha, N-2} \right]$$

$$1-\beta \approx \Phi\left(\frac{\sqrt{N}(\theta - \mu)}{\sigma_w \sqrt{2}}\right) - t_{1-\alpha, N-2}$$

$$N \approx \frac{2\sigma_w^2(z_{1-\alpha} + z_{1-\beta})^2}{(\theta - \mu)^2}$$

$$N \approx \frac{2\sigma_w^2(z_{1-\alpha} + z_{1-\beta})^2}{(\theta - \mu)^2}$$

83% —Owen's Q

3. Owen's T/Q ??????????

3.1 2×2 ????????

- N $n=N/2$
- μ σ_w CV
- $\hat{\mu} = \bar{X}_T - \bar{X}_R$

$\text{Var}(\hat{\mu}) = \sigma_w^2 \cdot \frac{2}{N}$, $\hat{\sigma}_w^2 = \frac{\nu \hat{\sigma}_w^2}{\sigma_w^2} \sim \chi^2_{\nu}$, $\nu = N-2$.

“ $\text{SE} = \sigma_w \sqrt{2/N}$ N $\sigma_w \sqrt{2/n}$ n σ_w ”
 $\sqrt{2}$
 $\text{SE} = \sigma_w \sqrt{2/N}$

$T_1 = \frac{\hat{\mu} - \theta_1}{\sigma_w \sqrt{2/N}}$, $T_2 = \frac{\hat{\mu} - \theta_2}{\sigma_w \sqrt{2/N}}$.

$Z = \frac{\hat{\mu} - \mu}{\sigma_w \sqrt{2/N}} \sim N(0,1)$ $W = \sqrt{V/\nu}$ $V \sim \chi^2_{\nu}$

$T_1 = \frac{Z + \delta_1}{W}$, $T_2 = \frac{Z + \delta_2}{W}$, $\delta_1 = \frac{\mu - \theta_1}{\sigma_w \sqrt{2/N}}$, $\delta_2 = \frac{\mu - \theta_2}{\sigma_w \sqrt{2/N}}$.

Z W -1 t Owen (1965)

3.2

TOST α

$T_1 > t_{1-\alpha, \nu}$ $T_2 < -t_{1-\alpha, \nu}$ $t_{\alpha} W - \delta_1 < Z < -t_{\alpha} W - \delta_2$, $t_{\alpha} = t_{1-\alpha, \nu}$.

Z W

$t_{\alpha} W - \delta_1 < -t_{\alpha} W - \delta_2$ $W < w^* = \frac{\delta_1 - \delta_2}{2t_{\alpha}} = \frac{\theta_2 - \theta_1}{2t_{\alpha} \sigma_w \sqrt{2/N}}$.

W σ_w

1. $\square$ 2.5 $\square\square\square\square\square\square\square$ $\$N_0\square$
2. $\square\square\square$ $\$N\$$ $\square\square\square\square\square\square$ 3.2 $\square$ 3.3 $\square\square\square$
3. $\square\square\square$ $\$<1-\beta\$$ $\square\square\square$ $\$N\$$ $\square\square\square\square\square\square\square\square\square\square$
4. $\square$ $\square\square$ $\$N\$$ $\square\square\square\square\square\square\square\square\square\square\square\square$ 10-20% $\square\square\square\square$

3.5 ???????????

CV=20% $\sigma_w=\sqrt{\ln 1.04}=0.19804$
 $\mu=0$ $\alpha=0.05$ 80%
 $N=16$ $\nu=14$ $t_{0.95,14}=1.7613$
 $SE=0.19804\sqrt{2/16}=0.07002$ $\delta_1=0.22314/0.07002=3.1869$
 $\delta_2=-3.1869$ $=0.8332\geq 0.8$ $N=14$ $=0.7549$
 $N=16$

vs Owen's Q

N	Owen Q		t CDF
12	0.6445	0.8283	0.6432
14	0.7549	0.8847	0.7548
16	0.8332	0.9230	0.8332
20	0.9249	0.9663	0.9249

$N=12$ 83% 64%
t CDF " Owen's Q

		N
CV=20% =1.0	80%	16
CV=20% =0.95 $\mu=-0.0513$	80%	19
CV=20% =0.95	90%	25
CV=30% =1.0	80%	32

“ Owen's Q vs σ_w c
80% vs 90% d $\sqrt{2}$
 $SE=\sigma_w\sqrt{2/N}$ Owen-Q

4. Owen's T/Q ???????????

4.1 Owen's T ???

-   $\$[0,a]\$$  $\$a\$$  $\$T(h,\infty)=\tfrac{12}{\Phi(-|h|)}\$$ 
-   **Patefield & Tandy 2000**  $\$T(h,a)\$$  14–15 
-   Young & Minder (1974)  **AS 76**  Boys (1989)  **AS R80** 
-   CDF  Genz 2004  $\$T\$$ 

4.2 t CDF

- χ^2 / df **beta** Cooper (1968) **AS 5** Lenth (1989) **AS 243**
 χ^2 beta R^2 `pt(q, df, ncp)`
- χ^2 Benton & Krishnamoorthy (2003) t t
 ν δ
- χ^2
- χ^2 Gil Segura Temme

4.3 Owen's Q ? TOST ???????

- $\$R=0\$$  t CDF 
- $\$R>0\$$  

$$Q_{\nu}(t, \delta; 0, R) = \int_{R/\sqrt{\nu}}^t \Phi\left(\frac{t}{\sqrt{\nu}} - \frac{w}{\delta}\right) f_W(w) dw$$

-   3.3  TOST  $\$F_{\nu}\$$  $\$Q_{\nu}\$$ 
-   R  Owen  Stéphane Laurent  Rcpp  $\$Q_{\nu}\$$  t 

4.4 ???????

1. `\Phi(x)-1` `$x$` `\operatorname{erfc}`
2. `t` `|\delta|` `/`
3. `w^{\nu-1}e^{-\nu w^2/2}`
4. `|\delta|` `\nu`

5. ??????C/Fortran ??????

Ⓜ / Ⓜ	Ⓜ	ⓂⓂ	ⓂⓂⓂ
AS 5 (Cooper 1968)	Fortran	ⓂⓂ t CDF	statlib <code>/apstat/5</code>
AS 76 (Young & Minder 1974)	Fortran	Owen's T	statlib <code>/apstat/76</code>
AS R80 (Boys 1989)	Fortran	AS 76 Ⓜ	statlib <code>/apstat/R80</code>
AS 243 (Lenth 1989)	Fortran	ⓂⓂ t CDF	statlib <code>/apstat/243</code>
DCDFLIB (Brown, Lovato, Russell)	C + Fortran	<code>cdftnc</code> ⓂⓂ tⓂ <code>cdft</code> <code>Ⓜ cdfnc</code> Ⓜ	statlib ⓂⓂⓂ
Boost.Math	C++	<code>owens_t</code> Ⓜ <code>non_central_t</code> Ⓜ <code>bivariate_normal</code>	boost.orgⓂⓂⓂⓂ
GSL	C	ⓂⓂ tⓂ <code>gsl_cdf_tdist</code> Ⓜ	ⓂⓂ t ⓂⓂⓂ
R <code>stats::pt(q, df, ncp)</code>	CⓂⓂ AS 243Ⓜ	ⓂⓂ t CDF	R ⓂⓂ
R <code>PowerTOST</code> (Labes & Schütz)	R/C	<code>power.TOST</code> Ⓜ <code>sampleN.TOST</code> Ⓜ Owen Q ⓂⓂⓂ	CRAN
R <code>OwenQ</code> (Laurent)	R/Rcpp	<code>OwenQ1/Q2/Q3</code> ⓂⓂⓂ t	CRAN / GitHub
R <code>sn</code> (Azzalini)Ⓜ <code>mnormt</code>	R	<code>T.Owen</code> Ⓜ <code>pst</code> Ⓜ <code>sadmvn</code> Ⓜ <code>biv.nt.prob</code>	CRAN
SciPy <code>scipy.stats.nct</code>	C/Python	ⓂⓂ t	SciPy

- **Fortran** `AS` `DCDFLIB` `C` `Fortran` `t`
- **C++** `Boost.Math` `owens_t(h, a)` `Owen's T` `non_central_t` `t` `CDF/PDF` `bivariate_normal`
- **BE** `"` `"` `R` `PowerTOST` `Owen's Q` `Phillips 1990 / Diletti 1991`
- `/` `OwenQ` `$Q_\nu$`

6. ????

1. Owen's T/Q "□ /□ "□ □ □ □ □ □ □ □ □ □ □ □ □ □ —□ □ □
 □ □ □ □ □ □ □ □ □ □ □ □ □ □ t □ □ □ □ □ □ □ □ TOST
 □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
2. □ □ □ □ □ □ □ □ t □ CDF □ □ □ □ □ □ \$int_0^{\infty} \Phi(tw - \delta) f_W(w) dw\$ □ Owen's Q
 □ □ □ □ □ □ □ □ □ □ □ □ □ □ \$0\$ □ □ \$R\$ □ □ □ □
 \$F_{\nu}(t; \delta) = Q_{\nu}(t/\sqrt{\nu}, \delta; 0, 0)\$ □ TOST □ □ = □ □ □ □ □ □ t CDF □ □ □ □

$\$Q_{\nu}\$$ $\$0\$$ $\$w^*\$$
 3. $\$N=12\$$ 83% vs 64%
 t CDF "

 4. Fortran AS 5/76/243 DCDFLIB C++ Boost.Math R
 `pt(..., ncp)` PowerTOST OwenQ `sn/mnormt` Patefield-Tandy (2000) Lenth (1989)
 Owen's T t Gil-Segura-Temme

 5. $\$2\times2\$$ $\mathrm{SE}=\sigma_w\sqrt{2/N}\$$
 $\nu=N-2\$$

$$1-\beta=\int_0^w \Big[\Phi\big(-t_\alpha w-\delta_2\big)-\Phi\big(t_\alpha w-\delta_1\big)\Big]\frac{2(\nu/2)^{\nu/2}}{\Gamma(\nu/2)}w^{\nu-1}e^{-\nu w^2/2}dw, \quad w=\frac{\theta_2-\theta_1}{2,t_\alpha,\sigma_w\sqrt{2/N}}.$$

/

- Owen, D. B. (1956). Tables for computing bivariate normal probabilities. *Ann. Math. Statist.* 27, 1075–1090.
- Owen, D. B. (1965). A special case of a bivariate non-central t-distribution. *Biometrika* 52, 437–446.
- Owen, D. B. (1968). A survey of properties and applications of the non-central t-distribution. *Technometrics* 10, 445–478.
- Schuirmann, D. J. (1987). A comparison of the two one-sided tests procedure and the power approach for assessing the equivalence of average bioavailability. *J. Pharmacokinet. Biopharm.* 15, 657–680.
- Phillips, K. F. (1990). Power of the two one-sided tests procedure in bioequivalence. *J. Pharmacokinet. Biopharm.* 18, 137–144.
- Diletti, E., Hauschke, D., & Steinijans, V. W. (1991). Sample size determination for bioequivalence assessment by means of confidence intervals. *Int. J. Clin. Pharmacol. Ther. Toxicol.* 29, 1–8.
- Patefield, M., & Tandy, D. (2000). Fast and accurate computation of Owen's T function. *J. Stat. Softw.* 5(5), 1–25.
- Young, J. C., & Minder, C. E. (1974). Algorithm AS 76. *Appl. Statist.* 23, 455–457; Boys, R. J. (1989). AS R80. *Appl. Statist.* 38, 580–582.
- Lenth, R. V. (1989). Algorithm AS 243: Cumulative distribution function of the non-central t distribution. *Appl. Statist.* 38, 185–189.
- Benton, D., & Krishnamoorthy, K. (2003). Computing discrete mixtures of continuous distributions. *Comput. Statist. Data Anal.* 43, 249–267.
- Genz, A. (2004). Numerical computation of rectangular bivariate and trivariate normal and t probabilities. *Stat. Comput.* 14, 251–260.